

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	("6253306").PN.	USPAT; USOCR	OR	OFF	2006/02/15 15:02
L2	0	each adj instruction with field	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 15:04
L3	84	(each every) adj2 instruction with field	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 15:04
S71	11	intermediate adj representation with exception	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 13:36

[Sign in](#)[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)[Advanced Search](#)
[Preferences](#)**Web**Results 1 - 10 of about 12,700,000 for independent intermediate representation . (0.83 seconds)**Comp.compilers: Re: language independent intermediate representation**

From comp.compilers newsgroup: Re: language independent intermediate representation.

compilers.iecc.com/comparch/article/97-05-139 - 7k -

[Cached](#) - [Similar pages](#)

Sponsored Links

Independent Sales Rep?

Sales Reps -

Manufacturer Reps

www.RepHunter.net**Comp.compilers: Re: Intermediate Representation**

From comp.compilers newsgroup: Re: Intermediate Representation. ... >effective optimizations, language independent most of the time. ...

compilers.iecc.com/comparch/article/90-08-018 - 11k -

[Cached](#) - [Similar pages](#)**Independent Agent**

Resources for the Independent Agent Leads, Carriers, Top Commissions

csaresources.com**Clarity MCode: A Retargetable Intermediate Representation for ...**

We have developed a high-level, machine-independent intermediate representation to compile Clarity that we call MCode (for "middle code"). ...

research.sun.com/techrep/1995/abstract-43.html - 15k - [Cached](#) - [Similar pages](#)**[PDF] Clarity MCode: A Retargetable Intermediate Representation for ...**File Format: PDF/Adobe Acrobat - [View as HTML](#)

independent intermediate representation to compile Clarity that we call MCode (for "middle code"). We use MCode to compile Clarity programs at program ...

research.sun.com/techrep/1995/smlr_tr-95-43.pdf - [Similar pages](#)**Citations: Clarity MCode: A retargetable intermediate ...**

Clarity MCode: A retargetable intermediate representation for compilation. ... was built on the MCode machine independent intermediate language [10]. ...

citeseer.ist.psu.edu/context/775335/0 - 12k - [Cached](#) - [Similar pages](#)**[PDF] Intermediate Representations**File Format: PDF/Adobe Acrobat - [View as HTML](#)

Intermediate Representations. • Machine independent translation. – Keep independent of target architecture for as long as possible. • Intermediate forms ...

www.cs.rutgers.edu/~ryder/415/lectures/intermedRep.pdf - [Similar pages](#)**[PDF] Improving Mobile Program Performance Through the Use of a Hybrid ...**File Format: PDF/Adobe Acrobat - [View as HTML](#)

architecture-independent intermediate format that, once written, can execute on any ... 2

Hybrid Intermediate Representation for Mobile Java Programs ...

www.cs.ucsb.edu/~ckrintz/papers/ire02.pdf - [Similar pages](#)**[PS] The Zephyr Compiler Infrastructure Andrew Appel Jack Davidson ...**File Format: Adobe PostScript - [View as HTML](#)

The truth is that RTL is not a universal intermediate representation, even though it is machine-independent. The limitation that is easy to overlook is that ...

www.cs.virginia.edu/zephyr/papers/overview98.ps - [Similar pages](#)**[PDF] Microsoft PowerPoint - lec16.ppt**File Format: PDF/Adobe Acrobat - [View as HTML](#)


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☐ The ACM Digital Library ☒ The Guide

THE GUIDE TO COMPUTING LITERATURE
[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

 Terms used independent intermediate representation

 Found **73,900** of **910,869**

Sort results by

☒ [Save results to a Binder](#)
[Try an Advanced Search](#)

Display results

☒ [Search Tips](#)

 Try this search in [The Digital Library](#)
☐ Open results in a new window

Results 1 - 20 of 200

 Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

 Relevance scale ☐ ☐ ☐ ☐ ☐
1 [Clarity MCode: A Retargetable Intermediate Representation for Compilation](#)

L. Peter Deutsch, Theodore C. Goldstein, Brian T. Lewis

May 1995 Technical Report

Publisher: Sun Microsystems, Inc.

 Full text available: [pdf\(52.29 KB\)](#) Additional Information: [full citation](#), [abstract](#)

The Clarity C++ programming language is a dialect of C++ being developed in Sun Microsystems Laboratories to support the development of reliable systems and application software, and especially distributed software. We have developed a high-level, machine-independent intermediate representation to compile Clarity that we call MCode (for "middle code"). We use MCode to compile Clarity programs at program runtime (i.e., on-the-fly) into SPARC - code for the Solaris™ operating ...

2 [Clarity MCode: a retargetable intermediate representation for compilation](#)

Brian T. Lewis, L. Peter Deutsch, Theodore C. Goldstein

 March 1995 **ACM SIGPLAN Notices , Papers from the 1995 ACM SIGPLAN workshop on Intermediate representations**, Volume 30 Issue 3

Publisher: ACM Press

 Full text available: [pdf\(948.64 KB\)](#) Additional Information: [full citation](#), [citations](#), [index terms](#)
3 [IDL: sharing intermediate representations](#)

David Alex Lamb

 July 1987 **ACM Transactions on Programming Languages and Systems (TOPLAS)**, Volume 9 Issue 3

Publisher: ACM Press

 Full text available: [pdf\(1.77 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

IDL (Interface Description Language) is a practical and useful tool for controlling the exchange of structured data between different components of a large system. IDL is a notation for describing collections of programs and the data structures through which they communicate. Using IDL, a designer gives abstract descriptions of data structures, together with representation specifications that specialize the abstract structures for particular programs. A tool, the IDL translator, generates r ...

4
[Papers: Independent active program representation using ASN. 1](#)